
5008

Lamps with metal bases for cars



Product benefits

- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data


Electrical data

Power input	10 W
Nominal wattage	10.0 W
Nominal voltage	12.0 V
Power input tolerance	±10 %
Test voltage	13.5 V

Photometrical data

Luminous flux	125 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	37.5 mm
Diameter	19.0 mm

Lifespan

Lifespan B3	350 h
Lifespan Tc	800 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	R10W
Approval marks – approval	E1 approval

Country specific categorizations

Product datasheet

Order reference	5008 10W 12V BA
-----------------	-----------------

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300838212	OSRA5008	8328132	8328132	-
4050300925608	OSRA5008BLI2	8328336	8328336	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838212	5008	Unpacked 1	36 mm x 16 mm x 19 mm	0.01 dm ³	12.39 g
4050300525464	5008	Folding carton box 10	75 mm x 60 mm x 99 mm	0.45 dm ³	77.00 g
4008321095299	5008	Shipping carton box 50	205 mm x 64 mm x 144 mm	1.89 dm ³	440.50 g
4050300925608	5008	Blister 2	70 mm x 14 mm x 33 mm	0.03 dm ³	21.29 g
4008321140425	5008	Shipping carton box 20	189 mm x 103 mm x 82 mm	1.60 dm ³	255.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.