

# Highly Integrated Track Light Module

## Product Specification



### Benefits

- Wide flux output range
- Robust and stylish design with Die-cast Aluminum housing
- Simple & easy installation
- High visual comfort with hybrid reflector

### Product Description

CORE-TR-B is highly integrated module solution for indoor track light application. The product is using OSRAM PrevaLED CORE Mini COB technology and provides wide range of flux output in compact form factor.

- Compatible with OSRAM OPTOTRONIC drivers
- Lifetime L70B50 >50khrs
- System warranty up to 5 years

### Features

- Color consistency < 3SDCM
- TM30 compliant, Rg 100, Rf 90
- Flux output range 1,600-3,500lm
- Beam angle FWHM at 15, 24, 36°

### Applications

- Retail, shop, restaurant, hospitality
- Gallery and museum


Table 1. Product Performance, Ta = 25°C

Product name	Nominal CCT (K)	Min CRI	Flux Output (lm)		Typical Efficacy (lm/W)	Test Current (mA)	Nominal Power (W)	Beam Angle (FWHM)	PrevaLED CORE COB Model
			Min	Typ					
CORE-TR-20-B-927-24D	2700	90	1,420	1,570	80	500	19.5	24	CORE-Mini-2000
CORE-TR-20-B-927-36D	2700	90	1,381	1,527	78	500	19.5	40	CORE-Mini-2000
CORE-TR-20-B-930-24D	3000	90	1,487	1,643	84	500	19.5	24	CORE-Mini-2000
CORE-TR-20-B-930-36D	3000	90	1,446	1,598	82	500	19.5	40	CORE-Mini-2000
CORE-TR-20-B-935-24D	3500	90	1,539	1,701	87	500	19.5	24	CORE-Mini-2000
CORE-TR-20-B-935-36D	3500	90	1,497	1,654	85	500	19.5	40	CORE-Mini-2000
CORE-TR-20-B-940-24D	4000	90	1,572	1,737	89	500	19.5	24	CORE-Mini-2000
CORE-TR-20-B-940-36D	4000	90	1,528	1,689	87	500	19.5	40	CORE-Mini-2000
CORE-TR-20-B-930UW-24D	3000	90	1,399	1,546	79	500	19.5	24	CORE-Mini-2000
CORE-TR-20-B-930UW-36D	3000	90	1,361	1,504	77	500	19.5	40	CORE-Mini-2000
CORE-TR-30-B-927-15D	2700	90	1,972	2,179	77	700	28.2	16	CORE-Mini-2000
CORE-TR-30-B-927-24D	2700	90	1,969	2,176	77	700	28.2	23	CORE-Mini-2000
CORE-TR-30-B-927-36D	2700	90	1,903	2,103	75	700	28.2	38	CORE-Mini-2000
CORE-TR-30-B-930-15D	3000	90	2,064	2,282	81	700	28.2	16	CORE-Mini-2000
CORE-TR-30-B-930-24D	3000	90	2,062	2,279	81	700	28.2	23	CORE-Mini-2000
CORE-TR-30-B-930-36D	3000	90	1,992	2,202	78	700	28.2	38	CORE-Mini-2000
CORE-TR-30-B-935-15D	3500	90	2,137	2,362	84	700	28.2	16	CORE-Mini-2000

CORE-TR-30-B-935-24D	3500	90	2,134	2,358	84	700	28.2	23	CORE-Mini-2000
CORE-TR-30-B-935-36D	3500	90	2,062	2,279	81	700	28.2	38	CORE-Mini-2000
CORE-TR-30-B-940-15D	4000	90	2,182	2,412	86	700	28.2	16	CORE-Mini-2000
CORE-TR-30-B-940-24D	4000	90	2,179	2,409	85	700	28.2	23	CORE-Mini-2000
CORE-TR-30-B-940-36D	4000	90	2,106	2,328	83	700	28.2	38	CORE-Mini-2000
CORE-TR-30-B-930UW-15D	3000	90	1,942	2,147	76	700	28.2	16	CORE-Mini-2000
CORE-TR-30-B-930UW-24D	3000	90	1,940	2,144	76	700	28.2	23	CORE-Mini-2000
CORE-TR-30-B-930UW-36D	3000	90	1,875	2,072	73	700	28.2	38	CORE-Mini-2000
CORE-TR-35-B-927-24D	2700	90	2,824	3,121	87	900	36.0	25	CORE-Mini-3500
CORE-TR-35-B-927-36D	2700	90	2,737	3,025	84	900	36.0	36	CORE-Mini-3500
CORE-TR-35-B-930-24D	3000	90	2,955	3,266	91	900	36.0	25	CORE-Mini-3500
CORE-TR-35-B-930-36D	3000	90	2,863	3,165	88	900	36.0	36	CORE-Mini-3500
CORE-TR-35-B-935-24D	3500	90	3,063	3,386	94	900	36.0	25	CORE-Mini-3500
CORE-TR-35-B-935-36D	3500	90	2,969	3,281	91	900	36.0	36	CORE-Mini-3500
CORE-TR-35-B-940-24D	4000	90	3,128	3,458	96	900	36.0	25	CORE-Mini-3500
CORE-TR-35-B-940-36D	4000	90	3,032	3,351	93	900	36.0	36	CORE-Mini-3500
CORE-TR-40-B-927-15D	2700	90	3,119	3,448	82	1,050	42.1	18	CORE-Mini-3500
CORE-TR-40-B-927-24D	2700	90	3,028	3,346	79	1,050	42.1	25	CORE-Mini-3500
CORE-TR-40-B-927-36D	2700	90	2,919	3,226	77	1,050	42.1	38	CORE-Mini-3500
CORE-TR-40-B-930-15D	3000	90	3,263	3,607	86	1,050	42.1	18	CORE-Mini-3500
CORE-TR-40-B-930-24D	3000	90	3,167	3,501	83	1,050	42.1	25	CORE-Mini-3500
CORE-TR-40-B-930-36D	3000	90	3,053	3,375	80	1,050	42.1	38	CORE-Mini-3500
CORE-TR-40-B-935-15D	3500	90	3,383	3,739	89	1,050	42.1	18	CORE-Mini-3500
CORE-TR-40-B-935-24D	3500	90	3,284	3,629	86	1,050	42.1	25	CORE-Mini-3500
CORE-TR-40-B-935-36D	3500	90	3,166	3,499	83	1,050	42.1	38	CORE-Mini-3500
CORE-TR-40-B-940-15D	4000	90	3,455	3,819	91	1,050	42.1	18	CORE-Mini-3500
CORE-TR-40-B-940-24D	4000	90	3,354	3,707	88	1,050	42.1	25	CORE-Mini-3500
CORE-TR-40-B-940-36D	4000	90	3,233	3,573	85	1,050	42.1	38	CORE-Mini-3500


1. Nominal performance is measured at steady state at Ta = 25°C
2. Tolerance of measurements for the luminous flux, efficacy, CRI and CCT is ±5%
3. Module Power is including electrical loss of OT FIT drivers, refer to Table 2. Driver Matching
4. Housing Color is available in Black / White
5. Adaptor type is available in 2-wire / 3-wire

## Product Code Nomenclature




## Mechanical Dimensions


CORE-TR-20-B



CORE-TR-30-B



CORE-TR-35-B



CORE-TR-40-B




Table 2. Driver Matching

Product Name	OPTOTRONIC Driver Model	Drive Current (mA)	System Flux (Rel. to Table 1)	System Efficacy (Rel. to Table 1)	System Power (W)	System Warranty (years)
<b>CORE-TR-20-B</b>	OT FIT 20/220...240/500 CS	500	100%	100%	19.5	5
	OT FIT 20/220...240/500 CS	450	91%	102%	17.3	5
	OT FIT 20/220...240/500 CS	350	72%	107%	13.1	5
	OT FIT 20/220...240/500 CS	250	53%	113%	9.1	5
	ELEMENT LD 20/220...240/500	500	100%	100%	19.0	3
	ELEMENT LD 15/220...240/350	350	72%	107%	13.1	3
	ELEMENT LD 12/220...240/300	300	63%	110%	11.2	3
	ELEMENT LD 10/220...240/250	250	53%	113%	9.2	3
	ELEMENT LD 10/220...240/250 LPF	250	53%	113%	9.2	3
<b>CORE-TR-30-B</b>	OT FIT 30/220...240/700 CS	700	100%	100%	28.2	5
	OT FIT 30/220...240/700 CS	650	94%	102%	25.9	5
	OT FIT 30/220...240/700 CS	600	88%	105%	23.6	5
	OT FIT 30/220...240/700 CS	500	75%	110%	19.2	5
	ELEMENT LD 30/220...240/700	700	100%	100%	28.3	3
	ELEMENT LD 25/220...240/600	600	88%	105%	23.8	3
	ELEMENT LD 20/220...240/500	500	75%	110%	19.5	3
	<b>CORE-TR-35-B</b>	OT FIT 40/220...240/1A0 CS	900	100%	100%	36.0
OT FIT 40/220...240/1A0 CS		800	90%	103%	31.5	5
OT FIT 30/220...240/700 CS		700	80%	106%	27.4	5
ELEMENT LD 38/220...240/900		900	100%	100%	36.2	3

	ELEMENT LD 33/220...240/800	800	90%	103%	31.6	3
	ELEMENT LD 30/220...240/700	700	80%	106%	27.4	3
<b>CORE-TR-40-B</b>	OT FIT 40/220...240/1A0 CS	1050	100%	100%	42.1	5
	OT FIT 40/220...240/1A0 CS	950	92%	103%	37.5	5
	OT FIT 40/220...240/1A0 CS	900	88%	105%	35.2	5
	OT FIT 40/220...240/1A0 CS	800	79%	108%	30.8	5
	ELEMENT LD 44/220...240/1050	1050	100%	100%	42.1	3
	ELEMENT LD 38/220...240/900	900	88%	105%	35.4	3
	ELEMENT LD 33/220...240/800	800	79%	108%	31.0	3

Table 3. Ordering Codes

**1. CORE-TR-20-B**

EAN 10	EAN 40	Product Code	Qty per Package (pcs)	MOQ (pcs)
4052899608047	4052899608641	CORE-TR-20-B-927-15D-BLK-2	12	96
4052899608054	4052899608658	CORE-TR-20-B-927-24D-BLK-2	12	96
4052899608061	4052899608665	CORE-TR-20-B-927-36D-BLK-2	12	96
4052899608078	4052899608672	CORE-TR-20-B-930-15D-BLK-2	12	96
4052899608085	4052899608689	CORE-TR-20-B-930-24D-BLK-2	12	96
4052899608092	4052899608696	CORE-TR-20-B-930-36D-BLK-2	12	96
4052899608108	4052899608702	CORE-TR-20-B-935-15D-BLK-2	12	96
4052899608115	4052899608719	CORE-TR-20-B-935-24D-BLK-2	12	96
4052899608122	4052899608726	CORE-TR-20-B-935-36D-BLK-2	12	96
4052899608139	4052899608733	CORE-TR-20-B-940-15D-BLK-2	12	96
4052899608146	4052899608740	CORE-TR-20-B-940-24D-BLK-2	12	96
4052899608153	4052899608757	CORE-TR-20-B-940-36D-BLK-2	12	96
4052899608160	4052899608764	CORE-TR-20-B-930UW-15D-BLK-2	12	96
4052899608177	4052899608771	CORE-TR-20-B-930UW-24D-BLK-2	12	96
4052899608184	4052899608788	CORE-TR-20-B-930UW-36D-BLK-2	12	96
4052899608191	4052899608795	CORE-TR-20-B-927-15D-WHT-2	12	96
4052899608207	4052899608801	CORE-TR-20-B-927-24D-WHT-2	12	96
4052899608214	4052899608818	CORE-TR-20-B-927-36D-WHT-2	12	96
4052899608221	4052899608825	CORE-TR-20-B-930-15D-WHT-2	12	96
4052899608238	4052899608832	CORE-TR-20-B-930-24D-WHT-2	12	96
4052899608245	4052899608849	CORE-TR-20-B-930-36D-WHT-2	12	96
4052899608252	4052899608856	CORE-TR-20-B-935-15D-WHT-2	12	96
4052899608269	4052899608863	CORE-TR-20-B-935-24D-WHT-2	12	96
4052899608276	4052899608870	CORE-TR-20-B-935-36D-WHT-2	12	96
4052899608283	4052899608887	CORE-TR-20-B-940-15D-WHT-2	12	96
4052899608290	4052899608894	CORE-TR-20-B-940-24D-WHT-2	12	96
4052899608306	4052899608900	CORE-TR-20-B-940-36D-WHT-2	12	96
4052899608313	4052899608917	CORE-TR-20-B-930UW-15D-WHT-2	12	96
4052899608320	4052899608924	CORE-TR-20-B-930UW-24D-WHT-2	12	96
4052899608337	4052899608931	CORE-TR-20-B-930UW-36D-WHT-2	12	96
4052899608344	4052899608948	CORE-TR-20-B-927-15D-BLK-3	12	96
4052899608351	4052899608955	CORE-TR-20-B-927-24D-BLK-3	12	96
4052899608368	4052899608962	CORE-TR-20-B-927-36D-BLK-3	12	96

4052899608375	4052899608979	CORE-TR-20-B-930-15D-BLK-3	12	96
4052899608382	4052899608986	CORE-TR-20-B-930-24D-BLK-3	12	96
4052899608399	4052899608993	CORE-TR-20-B-930-36D-BLK-3	12	96
4052899608405	4052899609006	CORE-TR-20-B-935-15D-BLK-3	12	96
4052899608412	4052899609013	CORE-TR-20-B-935-24D-BLK-3	12	96
4052899608429	4052899609020	CORE-TR-20-B-935-36D-BLK-3	12	96
4052899608436	4052899609037	CORE-TR-20-B-940-15D-BLK-3	12	96
4052899608443	4052899609044	CORE-TR-20-B-940-24D-BLK-3	12	96
4052899608450	4052899609051	CORE-TR-20-B-940-36D-BLK-3	12	96
4052899608467	4052899609068	CORE-TR-20-B-930UW-15D-BLK-3	12	96
4052899608474	4052899609075	CORE-TR-20-B-930UW-24D-BLK-3	12	96
4052899608481	4052899609082	CORE-TR-20-B-930UW-36D-BLK-3	12	96
4052899608498	4052899609099	CORE-TR-20-B-927-15D-WHT-3	12	96
4052899608504	4052899609105	CORE-TR-20-B-927-24D-WHT-3	12	96
4052899608511	4052899609112	CORE-TR-20-B-927-36D-WHT-3	12	96
4052899608528	4052899609129	CORE-TR-20-B-930-15D-WHT-3	12	96
4052899608535	4052899609136	CORE-TR-20-B-930-24D-WHT-3	12	96
4052899608542	4052899609143	CORE-TR-20-B-930-36D-WHT-3	12	96
4052899608559	4052899609150	CORE-TR-20-B-935-15D-WHT-3	12	96
4052899608566	4052899609167	CORE-TR-20-B-935-24D-WHT-3	12	96
4052899608573	4052899609174	CORE-TR-20-B-935-36D-WHT-3	12	96
4052899608580	4052899609181	CORE-TR-20-B-940-15D-WHT-3	12	96
4052899608597	4052899609198	CORE-TR-20-B-940-24D-WHT-3	12	96
4052899608603	4052899609204	CORE-TR-20-B-940-36D-WHT-3	12	96
4052899608610	4052899609211	CORE-TR-20-B-930UW-15D-WHT-3	12	96
4052899608627	4052899609228	CORE-TR-20-B-930UW-24D-WHT-3	12	96
4052899608634	4052899609235	CORE-TR-20-B-930UW-36D-WHT-3	12	96

## 2. CORE-TR-30-B

EAN 10	EAN 40	Product Code	Qty per Package (pcs)	MOQ (pcs)
4052899609242	4052899609846	CORE-TR-30-B-927-15D-BLK-2	12	96
4052899609259	4052899609853	CORE-TR-30-B-927-24D-BLK-2	12	96
4052899609266	4052899609860	CORE-TR-30-B-927-36D-BLK-2	12	96
4052899609273	4052899609877	CORE-TR-30-B-930-15D-BLK-2	12	96
4052899609280	4052899609884	CORE-TR-30-B-930-24D-BLK-2	12	96
4052899609297	4052899609891	CORE-TR-30-B-930-36D-BLK-2	12	96
4052899609303	4052899609907	CORE-TR-30-B-935-15D-BLK-2	12	96
4052899609310	4052899609914	CORE-TR-30-B-935-24D-BLK-2	12	96
4052899609327	4052899609921	CORE-TR-30-B-935-36D-BLK-2	12	96
4052899609334	4052899609938	CORE-TR-30-B-940-15D-BLK-2	12	96
4052899609341	4052899609945	CORE-TR-30-B-940-24D-BLK-2	12	96
4052899609358	4052899609952	CORE-TR-30-B-940-36D-BLK-2	12	96
4052899609365	4052899609969	CORE-TR-30-B-930UW-15D-BLK-2	12	96
4052899609372	4052899609976	CORE-TR-30-B-930UW-24D-BLK-2	12	96
4052899609389	4052899609983	CORE-TR-30-B-930UW-36D-BLK-2	12	96
4052899609396	4052899609990	CORE-TR-30-B-927-15D-WHT-2	12	96
4052899609402	4052899610002	CORE-TR-30-B-927-24D-WHT-2	12	96

4052899609419	4052899610019	CORE-TR-30-B-927-36D-WHT-2	12	96
4052899609426	4052899610026	CORE-TR-30-B-930-15D-WHT-2	12	96
4052899609433	4052899610033	CORE-TR-30-B-930-24D-WHT-2	12	96
4052899609440	4052899610040	CORE-TR-30-B-930-36D-WHT-2	12	96
4052899609457	4052899610057	CORE-TR-30-B-935-15D-WHT-2	12	96
4052899609464	4052899610064	CORE-TR-30-B-935-24D-WHT-2	12	96
4052899609471	4052899610071	CORE-TR-30-B-935-36D-WHT-2	12	96
4052899609488	4052899610088	CORE-TR-30-B-940-15D-WHT-2	12	96
4052899609495	4052899610095	CORE-TR-30-B-940-24D-WHT-2	12	96
4052899609501	4052899610101	CORE-TR-30-B-940-36D-WHT-2	12	96
4052899609518	4052899610118	CORE-TR-30-B-930UW-15D-WHT-2	12	96
4052899609525	4052899610125	CORE-TR-30-B-930UW-24D-WHT-2	12	96
4052899609532	4052899610132	CORE-TR-30-B-930UW-36D-WHT-2	12	96
4052899609549	4052899610149	CORE-TR-30-B-927-15D-BLK-3	12	96
4052899609556	4052899610156	CORE-TR-30-B-927-24D-BLK-3	12	96
4052899609563	4052899610163	CORE-TR-30-B-927-36D-BLK-3	12	96
4052899609570	4052899610170	CORE-TR-30-B-930-15D-BLK-3	12	96
4052899609587	4052899610187	CORE-TR-30-B-930-24D-BLK-3	12	96
4052899609594	4052899610194	CORE-TR-30-B-930-36D-BLK-3	12	96
4052899609600	4052899610200	CORE-TR-30-B-935-15D-BLK-3	12	96
4052899609617	4052899610217	CORE-TR-30-B-935-24D-BLK-3	12	96
4052899609624	4052899610224	CORE-TR-30-B-935-36D-BLK-3	12	96
4052899609631	4052899610231	CORE-TR-30-B-940-15D-BLK-3	12	96
4052899609648	4052899610248	CORE-TR-30-B-940-24D-BLK-3	12	96
4052899609655	4052899610255	CORE-TR-30-B-940-36D-BLK-3	12	96
4052899609662	4052899610262	CORE-TR-30-B-930UW-15D-BLK-3	12	96
4052899609679	4052899610279	CORE-TR-30-B-930UW-24D-BLK-3	12	96
4052899609686	4052899610286	CORE-TR-30-B-930UW-36D-BLK-3	12	96
4052899609693	4052899610293	CORE-TR-30-B-927-15D-WHT-3	12	96
4052899609709	4052899610309	CORE-TR-30-B-927-24D-WHT-3	12	96
4052899609716	4052899610316	CORE-TR-30-B-927-36D-WHT-3	12	96
4052899609723	4052899610323	CORE-TR-30-B-930-15D-WHT-3	12	96
4052899609730	4052899610330	CORE-TR-30-B-930-24D-WHT-3	12	96
4052899609747	4052899610347	CORE-TR-30-B-930-36D-WHT-3	12	96
4052899609754	4052899610354	CORE-TR-30-B-935-15D-WHT-3	12	96
4052899609761	4052899610361	CORE-TR-30-B-935-24D-WHT-3	12	96
4052899609778	4052899610378	CORE-TR-30-B-935-36D-WHT-3	12	96
4052899609785	4052899610385	CORE-TR-30-B-940-15D-WHT-3	12	96
4052899609792	4052899610392	CORE-TR-30-B-940-24D-WHT-3	12	96
4052899609808	4052899610408	CORE-TR-30-B-940-36D-WHT-3	12	96
4052899609815	4052899610415	CORE-TR-30-B-930UW-15D-WHT-3	12	96
4052899609822	4052899610422	CORE-TR-30-B-930UW-24D-WHT-3	12	96
4052899609839	4052899610439	CORE-TR-30-B-930UW-36D-WHT-3	12	96

### 3. CORE-TR-35-B

EAN 10	EAN 40	Product Code	Qty per Package (pcs)	MOQ (pcs)
4052899610446	4052899610927	CORE-TR-35-B-927-15D-BLK-2	12	96
4052899610453	4052899610934	CORE-TR-35-B-927-24D-BLK-2	12	96
4052899610460	4052899610941	CORE-TR-35-B-927-36D-BLK-2	12	96
4052899610477	4052899610958	CORE-TR-35-B-930-15D-BLK-2	12	96
4052899610484	4052899610965	CORE-TR-35-B-930-24D-BLK-2	12	96
4052899610491	4052899610972	CORE-TR-35-B-930-36D-BLK-2	12	96
4052899610507	4052899610989	CORE-TR-35-B-935-15D-BLK-2	12	96
4052899610514	4052899610996	CORE-TR-35-B-935-24D-BLK-2	12	96
4052899610521	4052899611009	CORE-TR-35-B-935-36D-BLK-2	12	96
4052899610538	4052899611016	CORE-TR-35-B-940-15D-BLK-2	12	96
4052899610545	4052899611023	CORE-TR-35-B-940-24D-BLK-2	12	96
4052899610552	4052899611030	CORE-TR-35-B-940-36D-BLK-2	12	96
4052899610569	4052899611047	CORE-TR-35-B-927-15D-WHT-2	12	96
4052899610576	4052899611054	CORE-TR-35-B-927-24D-WHT-2	12	96
4052899610583	4052899611061	CORE-TR-35-B-927-36D-WHT-2	12	96
4052899610590	4052899611078	CORE-TR-35-B-930-15D-WHT-2	12	96
4052899610606	4052899611085	CORE-TR-35-B-930-24D-WHT-2	12	96
4052899610613	4052899611092	CORE-TR-35-B-930-36D-WHT-2	12	96
4052899610620	4052899611108	CORE-TR-35-B-935-15D-WHT-2	12	96
4052899610637	4052899611115	CORE-TR-35-B-935-24D-WHT-2	12	96
4052899610644	4052899611122	CORE-TR-35-B-935-36D-WHT-2	12	96
4052899610651	4052899611139	CORE-TR-35-B-940-15D-WHT-2	12	96
4052899610668	4052899611146	CORE-TR-35-B-940-24D-WHT-2	12	96
4052899610675	4052899611153	CORE-TR-35-B-940-36D-WHT-2	12	96
4052899610682	4052899611160	CORE-TR-35-B-927-15D-BLK-3	12	96
4052899610699	4052899611177	CORE-TR-35-B-927-24D-BLK-3	12	96
4052899610705	4052899611184	CORE-TR-35-B-927-36D-BLK-3	12	96
4052899610712	4052899611191	CORE-TR-35-B-930-15D-BLK-3	12	96
4052899610729	4052899611207	CORE-TR-35-B-930-24D-BLK-3	12	96
4052899610736	4052899611214	CORE-TR-35-B-930-36D-BLK-3	12	96
4052899610743	4052899611221	CORE-TR-35-B-935-15D-BLK-3	12	96
4052899610750	4052899611238	CORE-TR-35-B-935-24D-BLK-3	12	96
4052899610767	4052899611245	CORE-TR-35-B-935-36D-BLK-3	12	96
4052899610774	4052899611252	CORE-TR-35-B-940-15D-BLK-3	12	96
4052899610781	4052899611269	CORE-TR-35-B-940-24D-BLK-3	12	96
4052899610798	4052899611276	CORE-TR-35-B-940-36D-BLK-3	12	96
4052899610804	4052899611283	CORE-TR-35-B-927-15D-WHT-3	12	96
4052899610811	4052899611290	CORE-TR-35-B-927-24D-WHT-3	12	96
4052899610828	4052899611306	CORE-TR-35-B-927-36D-WHT-3	12	96
4052899610835	4052899611313	CORE-TR-35-B-930-15D-WHT-3	12	96
4052899610842	4052899611320	CORE-TR-35-B-930-24D-WHT-3	12	96
4052899610859	4052899611337	CORE-TR-35-B-930-36D-WHT-3	12	96
4052899610866	4052899611344	CORE-TR-35-B-935-15D-WHT-3	12	96
4052899610873	4052899611351	CORE-TR-35-B-935-24D-WHT-3	12	96
4052899610880	4052899611368	CORE-TR-35-B-935-36D-WHT-3	12	96

4052899610897	4052899611375	CORE-TR-35-B-940-15D-WHT-3	12	96
4052899610903	4052899611382	CORE-TR-35-B-940-24D-WHT-3	12	96
4052899610910	4052899611399	CORE-TR-35-B-940-36D-WHT-3	12	96

#### 4. CORE-TR-40-B

EAN 10	EAN 40	Product Code	Qty per Package (pcs)	MOQ (pcs)
4052899611405	4052899611887	CORE-TR-40-B-927-15D-BLK-2	12	96
4052899611412	4052899611894	CORE-TR-40-B-927-24D-BLK-2	12	96
4052899611429	4052899611900	CORE-TR-40-B-927-36D-BLK-2	12	96
4052899611436	4052899611917	CORE-TR-40-B-930-15D-BLK-2	12	96
4052899611443	4052899611924	CORE-TR-40-B-930-24D-BLK-2	12	96
4052899611450	4052899611931	CORE-TR-40-B-930-36D-BLK-2	12	96
4052899611467	4052899611948	CORE-TR-40-B-935-15D-BLK-2	12	96
4052899611474	4052899611955	CORE-TR-40-B-935-24D-BLK-2	12	96
4052899611481	4052899611962	CORE-TR-40-B-935-36D-BLK-2	12	96
4052899611498	4052899611979	CORE-TR-40-B-940-15D-BLK-2	12	96
4052899611504	4052899611986	CORE-TR-40-B-940-24D-BLK-2	12	96
4052899611511	4052899611993	CORE-TR-40-B-940-36D-BLK-2	12	96
4052899611528	4052899612006	CORE-TR-40-B-927-15D-WHT-2	12	96
4052899611535	4052899612013	CORE-TR-40-B-927-24D-WHT-2	12	96
4052899611542	4052899612020	CORE-TR-40-B-927-36D-WHT-2	12	96
4052899611559	4052899612037	CORE-TR-40-B-930-15D-WHT-2	12	96
4052899611566	4052899612044	CORE-TR-40-B-930-24D-WHT-2	12	96
4052899611573	4052899612051	CORE-TR-40-B-930-36D-WHT-2	12	96
4052899611580	4052899612068	CORE-TR-40-B-935-15D-WHT-2	12	96
4052899611597	4052899612075	CORE-TR-40-B-935-24D-WHT-2	12	96
4052899611603	4052899612082	CORE-TR-40-B-935-36D-WHT-2	12	96
4052899611610	4052899612099	CORE-TR-40-B-940-15D-WHT-2	12	96
4052899611627	4052899612105	CORE-TR-40-B-940-24D-WHT-2	12	96
4052899611634	4052899612112	CORE-TR-40-B-940-36D-WHT-2	12	96
4052899611641	4052899612129	CORE-TR-40-B-927-15D-BLK-3	12	96
4052899611658	4052899612136	CORE-TR-40-B-927-24D-BLK-3	12	96
4052899611665	4052899612143	CORE-TR-40-B-927-36D-BLK-3	12	96
4052899611672	4052899612150	CORE-TR-40-B-930-15D-BLK-3	12	96
4052899611689	4052899612167	CORE-TR-40-B-930-24D-BLK-3	12	96
4052899611696	4052899612174	CORE-TR-40-B-930-36D-BLK-3	12	96
4052899611702	4052899612181	CORE-TR-40-B-935-15D-BLK-3	12	96
4052899611719	4052899612198	CORE-TR-40-B-935-24D-BLK-3	12	96
4052899611726	4052899612204	CORE-TR-40-B-935-36D-BLK-3	12	96
4052899611733	4052899612211	CORE-TR-40-B-940-15D-BLK-3	12	96
4052899611740	4052899612228	CORE-TR-40-B-940-24D-BLK-3	12	96
4052899611757	4052899612235	CORE-TR-40-B-940-36D-BLK-3	12	96
4052899611764	4052899612242	CORE-TR-40-B-927-15D-WHT-3	12	96
4052899611771	4052899612259	CORE-TR-40-B-927-24D-WHT-3	12	96
4052899611788	4052899612266	CORE-TR-40-B-927-36D-WHT-3	12	96
4052899611795	4052899612273	CORE-TR-40-B-930-15D-WHT-3	12	96
4052899611801	4052899612280	CORE-TR-40-B-930-24D-WHT-3	12	96



4052899611818	4052899612297	CORE-TR-40-B-930-36D-WHT-3	12	96
4052899611825	4052899612303	CORE-TR-40-B-935-15D-WHT-3	12	96
4052899611832	4052899612310	CORE-TR-40-B-935-24D-WHT-3	12	96
4052899611849	4052899612327	CORE-TR-40-B-935-36D-WHT-3	12	96
4052899611856	4052899612334	CORE-TR-40-B-940-15D-WHT-3	12	96
4052899611863	4052899612341	CORE-TR-40-B-940-24D-WHT-3	12	96
4052899611870	4052899612358	CORE-TR-40-B-940-36D-WHT-3	12	96