Product datasheet



LEDCOMFO DL 6.5 W 2700 K

LEDCOMFO DL | LED downlights



Areas of application

- Living rooms
- Corridors
- Bedrooms
- Cabinet lighting
- Households

Product benefits

- High luminous efficacy
- Cost-effective
- Comfortable light and even light distribution
- Simple installation
- Low maintenance costs thanks to long lifetime

Product features

- Available with wattage: 3 W, 5 W, 6.5 W, 9 W
- Available in flat and concave design
- Available with color temperature: 2,700 K, 6,500 K



Product datasheet

Technical data

Electrical data

Nominal wattage	6.5 W
Nominal voltage	220 V
Mains frequency	50 Hz

Photometrical data

Color temperature	2700 К
Light color as per EN 12464-1	Warm white

Dimensions & weight

Width	115.0 mm
Diameter	115.0 mm
Height	73.0 mm

Colors & materials

Product color	White	

Certificates & standards

Type of protection	IP20
Country specific categorizations	

Country specific categorizations

Order reference

LEDCOMFO DL 6.5

Equipment / Accessories

- Equipped with LED lamp
- Integrated 220 V AC driver

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321894915	LEDCOMFO DL 6.5 W 2700 K	Folding carton box 1	- x - x -		
4008321894922	LEDCOMFO DL 6.5 W 2700 K	Shipping carton box 18	466 mm x 304 mm x 336 mm	47.60 dm³	6554.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.